



2024

Strictly Stock Rules & Regulations

RaceCeiver Radios and Transponders are mandatory, no exceptions. Equipment is available for sale or rental at the speedway front office.

Attention: All motors and transmissions must remain stock. No performance parts allowed. Carburetors, Camshaft, Pistons, Heads, etc. must remain stock. All cars must have same size motor and transmission that came in car for that year, make and model. No racing shocks, springs or suspension parts allowed. This is a low budget class and we want to keep it this way to help build the class.

Engine must be strictly stock. NO EXCEPTIONS. All block numbers must be visible, no grinding, or defacing of numbers. No racing shocks or springs even if they came with that make and model.

It is your responsibility to read and understand the following information. Your car will be in accordance with these rules or you will not race. Grace periods will not be granted, If you have any questions ASK. If your car is found not to be in accordance with these rules YOU WILL NOT RACE. If a discrepancy is found after the feature, you will be disqualified. It is your responsibility to have your car tech inspected on race day. IGNORANCE IS NO EXCUSE

General Rules and Safety

1. Any 6 or 8 cylinder rear wheel drive car with wheel base over 105 inches. NO MUSCLE CAR MOTORS Hemi, Shelby, ETC.. If there is any question ASK! Track has final say
2. 3300lb Minimum Weight.
3. No all wheel drive cars
4. Track has the right to pull complete engine for inspection
5. Full face helmet mandatory. DOT APPROVED. No motorcycle helmets, or bike helmets allowed. Helmets 2015 or newer.
6. Firesuits are mandatory
7. Gloves are mandatory
8. Window nets are mandatory
9. Racing seats and racing belts are mandatory, belts 2017 or newer
10. Batteries can be relocated , but must be secured in a box

11. No antifreeze
12. Front and rear bumpers must be chained to frame. Left and Right sides of bumpers
13. All molding and chrome, door handles, outside mirrors must be removed
14. Doors must be secured by welding
15. No rear view mirrors
16. All carpet and upholstery must be removed
17. All glass must be removed
18. Windshield must be removed and replaced with no less than 3 debris bars in front of driver
19. Plastic and non metal grills must be removed
20. Fully functional and in date Fire Extinguisher required in all cars
21. Hulling of driver and passenger doors only
22. Hood and trunk latches must be removed and secured with pins.
23. Any holes in firewall or rear speaker deck must be covered with steel or aluminum
24. No all wheel drive cars

Motors & Cages & Frames

1. Roll cages are mandatory and must be welded to frame.
2. Roll bars cannot exceed through the front or rear firewall. No pickups, jeeps or 4 wheel drive. Cars with sunroofs must have glass removed and replaced with a minimum 16 gauge metal, and welded on outside of roof. If rear seat is removed, the rear deck (firewall) must be covered with metal. No added weight
3. Cars must be stock, no structure modifications to frame, body or motor, transmission, except to accommodate for roll cage.
4. Roll cages are mandatory. **Minimum** 4 point cage, 3 door bars in drivers side and 2 door bars minimum passenger side. **6 point cage optional with rear tube additional pick up points.**
5. Stock exhaust only, may be shortened. No upturned exhaust stacks allowed
6. No K & N Air filters allowed or after market
7. No reinforcing of bumpers or welding of bumpers
8. Fuel injection cars. No modifying of computers on fuel injected cars. Computers will be checked. No exceptions, refusal will result in disqualification. If computer is found to be illegal driver will pay \$100.00 inspection fee, if computer is legal speedway will pay fee
9. Fuel cell optional. Maximum 22 gallon, original gas tank in original location or moved to the trunk must be secured and fastened. Spout must be in tank.
10. Catalytic Converter may be removed
11. Station wagons if tank is in rear quarter panel it must be removed under deck and strapped down with metal and covered completely with metal

- 12. No cutting of fender wells
- 13. Aluminum radiators allowed
- 14. Must be factory stock rearend. No welding spider gears
- 15. ECM needs to be stock and will be checked.

TIRES:

1. All Season tires, M&S, L.T. Tires, D.O.T. passenger tires allowed. Used take off tires from open wheel modifieds/Street Stock O.K., MUST BE TAKE OFF's

2. Aftermarket 8" STEEL racing wheels O.K., Right front beadlock O.K., Oversize lug studs on right front O.K. Spacers may be used to clear brake calipers. No excessive spacing.

3. All wheels must be same size and offset

4. No mud plugs.

5. No wheel weights

Fuel:

- 1. Pump gas only, No racing fuel